

gain make parks fun again

Make parks ^{fun} again.



FOR CONTEMPORARY DEVELOPERS



waterplay manufacturing inc. 129 nanaimo avenue west, penticton, bc v2a 1n2
t 250 493 1693 f 250 493 1675 1 800 590 5552 e admin@waterplay.com www.waterplay.com



realizing a pipe dream	04 - 05
we'll work as one	06 - 07
safety & accessibility	08 - 09
a variety of components	10 - 25
a park like no other	26 - 31
water supply	32 - 33
development process	34 - 35
colors & parts & accessories	36 - 37
warranty	38 - 39



C O N T E N T S

A photograph of three children, two boys and one girl, smiling and playing in a spray park. They are standing under a water spray. In the background, there are colorful playground structures, including a large purple slide and yellow and green poles. Other children are visible in the distance.

REALIZING A PIPE DREAM

Kids have always taken to backyard sprinklers, neighborhood fire hydrants and city fountains to cool off. Seeing this familiar scene develop in the decorative fountains of Vancouver's World Fair turned our minds toward [providing kids with their own worlds of spray](#). We started crafting creative components and educating builders on the potential of the spray park. In 1987, with a childlike excitement, we founded Waterplay® to give voice to our ideas.

[Leading the transformation of aquatic environments](#), Waterplay® has turned hundreds of flat concrete slabs into inspiring three dimensional water worlds. Our designers have twisted components into fantastic characters, themed fabrications and crazy geometric shapes. [We have introduced technology](#) that integrated electronic control and streaming unpredictability. Our colors brightened up neighborhood spaces, our designs [kept kids safe](#) and our cohesive park designs [stimulated countless hours of creative play](#).

Waterplay's® [original vision has spawned an entire industry](#) and spray parks have now sprouted up in countless communities. Our durable, safe and distinctive creations remain the blueprint for all other imitations. Poised to create a deluge of new innovations, Waterplay® [will continue to bring volumes of smiles](#) to community imaginations.





WE'LL WORK AS ONE UNTIL THE JOB IS DONE

Nothing brings smiles to a park like an exciting world of shapes and showers. Unpredictable sprayers, oversized water cannons and larger than life creatures converge to create spaces dripping with imaginative fun. Happiness reigns over the neighborhood and kids claim their space with an excitement that reminds us of how summer should feel.

At Waterplay® [our enthusiasm is infectious](#); from picking colors to installing bolts, we're here to ensure the process of building a spray park is enjoyable. The journey begins with [our online park builder](#), which transforms creative ideas and cool component options into tangible three-dimensional drawings and specific CAD layouts. Our extensive experience in park design will guide you through evaluating budgets, creating timelines and choosing what will work for your community. Even the construction process is easy with [detailed contractor installation guidelines](#), multiple hydrological options and trouble free maintenance.

Making every park turn out to perfection is our top priority, so [we will support you](#) through each critical step. Each stage of spray park development has been carefully scripted, starting with conception and ending with installation, so the whole endeavor [will be smooth and simple](#). From our sales department to our shipping staff, our team understands what it takes to make the water flow forth. And in every aspect of park creation, our Waterplay® sales representatives are available for pre-project planning or post-project training. So wipe the canvas clean, [pick your secret ingredients](#) and make that park fun again.



SAFETY AND ACCESSIBILITY

FOR EVERYONE

Parks are places that need to be both safe and inviting. At Waterplay®, all of our products conform to the rules of adulthood, leaving you free to build without worry. Our commitment to both safety and accessibility ensures that no one will be left out or put at risk.

A ground level, obstacle free environment allows easy access for all ages, abilities and sizes. Spray park design leaves no dangerous standing water, thick and tall components prevent grasping and climbing, and flush nozzles eliminate protrusions. Each one of our tamper resistant components is designed specifically to maximize park safety. And, all of our products follow the strictest guidelines that meet the tremendous responsibility of creating public play environments.




CHOOSE FROM A

VARIETY OF COMPONENTS

TO CREATE A PARK THAT WORKS FOR YOU

The key to a great spray park is **choosing the right components**. Whether installing a single component or developing a custom themed layout, **our designs maximize your space and budget**. These safe and durable products provide both unlimited visual possibilities and a variety of component functions.


We offer **a spectrum of creative fixtures** made from both aerospace aluminum and stainless steel. Our Delrin® nozzle construction prevents bonding of metal parts and guarantees high performance and superior longevity. Our advanced electronic controllers and activators utilize technology to **minimize water consumption** and handle heavily trafficked usage. The result is the perfect menu of options for planning an inspired and enduring park.



columns

019: Ho-Lee Post	027: Hula Post	026: Curvy Cane	025: Candy Cane	033: Rolly Poley	010: Spiller Piller	042: Perry Scope	039: Crazy Hose	081: Wavy Wand	028: Pole-Ka
Height : 9' 0"	Height : 13' 0"	Height : 12' 11"	Height : 12' 11"	Height : 11' 0"	Height : 10' 0"	Height : 7' 6"	Height : 10' 1"	Height : 12' 4"	Height : 13' 0"
Width: 6"	Width: 1' 11"	Width: 4' 7"	Width: 4' 7"	Width: 2' 0"	Width: 7"	Width: 2' 6"	Width: 5' 5"	Width: 1' 11"	Width: 1' 11"
Flow GPM @30 PSI: 8.7	Flow GPM @30 PSI: 8.7	Flow GPM @30 PSI: 9.9	Flow GPM @30 PSI: 9.9	Flow GPM @30 PSI: 4.0	Flow GPM @30 PSI: 9.9	Flow GPM @30 PSI: 9.9	Flow GPM @30 PSI: 9.9	Flow GPM @30 PSI: 9.9	Flow GPM @30 PSI: 9.9
Space Required: 8' dia.	Space Required: 8' dia.	Space Required: 13' x 8'	Space Required: 13' x 8'	Space Required: 8' dia.	Space Required: 8' dia.	Space Required: 16' x 8'	Space Required: 13' x 8'	Space Required: 13' x 8'	Space Required: 8' dia.

SMOOTH, AERODYNAMIC SHAPES AND LINES ARE AESTHETICALLY PLEASING EVEN AFTER THE WATER IS TURNED OFF.



cannons, ground sprays + sprayfaces

085: Lil' Squirt
Height: 4' 7"
Width: 8"
Flow GPM @30 PSI: 6.6
Space Required: 19' x 14'

078: Cosmic Cannon
Height: 3' 7"
Width: 2' 3"
Flow GPM @30 PSI: 6.6
Space Required: 19' x 14'

015: Fun-O-Meter
Height: 7' 7"
Width: 6' 0"
Flow GPM @30 PSI: 38.9
Space Required: 20' x 30'

012: Ground Spray
Height: 0' 0"
Width: 3"
Flow GPM @30 PSI: 6.6
Space Required: 8' dia.

079: Cosmic Cannon w/Shield
Height: 3' 7"
Width: 2' 3"
Flow GPM @30 PSI: 6.6
Space Required: 19' x 14'

086: Chevalier
Height: 4' 7"
Width: 8"
Flow GPM @30 PSI: 6.6
Space Required: 19' x 14'

011: Doughnut Spray
Height: 0' 0"
Width: 3' 6"
Flow GPM @30 PSI: 59.6
Space Required: 10' dia.

DESIGNED FOR FUN, BUILT FOR SAFETY



lil' squirt



cosmic cannon



fun-o-meter



ground spray



cosmic cannon w/shield



chevalier



doughnut spray



flowers + trees

023: Daisy Mae
Height: 11' 6"
Width: 8' 3"
Flow GPM @30 PSI: 9.9
Space Required: 18' dia.

020: Trilli Lily
Height : 12' 10"
Width: 7' 0"
Flow GPM @30 PSI: 9.9
Space Required: 18' dia.

018: Poly Palm
Height : 12' 0"
Width: 9' 3"
Flow GPM @30 PSI: 9.9
Space Required: 18' dia.

090: Cat Tail
Height : 7' 1"
Width: 1' 8"
Flow GPM @30 PSI: 8.7
Space Required: 10' x 8'

102: Mist Tree
Height : 13' 6"
Width: 6' 0"
Flow GPM @30 PSI: 9.9
Space Required: 14' dia.

062: Sunny Flower
Height : 13' 10"
Width: 3' 1"
Flow GPM @30 PSI: 9.9
Space Required: 11' dia.

014: Prickly Pete
Height : 11' 7"
Width: 4' 1"
Flow GPM @30 PSI: 29.7
Space Required: 13' dia.

029: Prickly Pattie
Height : 12' 0"
Width: 4' 5"
Flow GPM @30 PSI: 29.7
Space Required: 13' dia.

017: Rain Cap
Height : 11' 7"
Width: 5' 0"
Flow GPM @30 PSI: 9.9
Space Required: 8' dia.

MATERIALS ARE CHOSEN FOR THEIR STRENGTH, DURABILITY, SAFETY AND EASE OF INSTALLATION.



daisy mae



trilli lily



poly palm



cat tail



mist tree



sunny flower



prickly pete




prickly pattie



rain cap





animals

048 & 094: Ogo & Pogo Height: 14' 6" & 4' 8" Width: 5' 11" & 1' 6" Flow GPM @30 PSI: 9.9 & 4.9 Space Required: 14' x 8' & 8' dia.	064: Elle Spray Height: 12' 11" Width: 8" Flow GPM @30 PSI: 9.9 Space Required: 8' x 4'	087: Larry-it Height: 12' 10" Width: 6' 11" Flow GPM @30 PSI: 8.7 Space Required: 17' x 8'	113: Wise Quack Height: 12' 11" Width: 5' 2" Flow GPM @30 PSI: 9.9 Space Required: 8' x 4'	071 & 114: Wally Whale Tail & Body Height: 13' 6" & 7' 6" Width: 7' 0" & 10' 0" Flow GPM @30 PSI: 9.7 & 6.8 Space Required: 10' dia. & 18' x 8'	108: Charger Height: 12' 4" Width: 8' 4" Flow GPM @30 PSI: 14.8 Space Required: 17' x 8'	076: Gerome Height: 11' 11" Width: 9' 9" Flow GPM @30 PSI: 14.8 Space Required: 19' x 8'	098: Kokospilli Height: 12' 7" Width: 9' 9" Flow GPM @30 PSI: 11.6 Space Required: 17' x 8'
---	---	--	--	---	--	--	---

CAPTIVATING GRAPHICS OFFER A WIDE VARIETY OF THEMES.



ogo & pogo




elle spray



larry-it



wise quack



wally whale tail & wally whale body



charger



gerome



kokospilli

spirals + loop throughs

095: O-Riginal	032: Aqua Arch	072: Water-O	104: Castle	035: Spiral Tunnel	041: Archie	106: Froggie-O	118: Castle Gate
Height : 8' 4"	Height : 5' 7"	Height : 6' 4"	Height : 13' 10"	Height : 6' 1"	Height : 10' 6"	Height : 8' 0"	Height : 14' 2"
Width: 7' 4"	Width: 13' 1"	Width: 7' 4"	Width: 16'	Width: 7' 4"	Width: 4' 6"	Width: 8' 10"	Width: 10' 5"
Flow GPM @30 PSI: 8.7	Flow GPM @30 PSI: 8.7	Flow GPM @30 PSI: 8.7	Flow GPM @30 PSI: 36.0	Flow GPM @30 PSI: 19.4	Flow GPM @30 PSI: 8.7	Flow GPM @30 PSI: 8.7	Flow GPM @30 PSI: 18.4
Space Required: 8' dia.	Space Required: 21' x 8'	Space Required: 8' dia.	Space Required: 14' x 14'	Space Required: 10' x 15'	Space Required: 12' x 8'	Space Required: 8' dia.	Space Required: 16' x 8'

ZERO DEPTH PLAY AREAS WHERE WATER IS DRAINED AWAY BEFORE IT CAN ACCUMULATE.



o-riginal



aqua arch



water-o



castle



spiral tunnel



archie



froggie-o



castle gate



cool stuff

053: Anchors Away Height: 12' 1" Width: 14' 6" Flow GPM @30 PSI: 9.7 Space Required: 22' x 8'	084: Crayon Height: 6' 6" Width: 7" Flow GPM @30 PSI: 8.7 Space Required: 8' dia.	089: Fishin Pole Height: 13' 1" Width: 8' 7" Flow GPM @30 PSI: 14.8 Space Required: 18' x 8'	099: Water Pump Height: 10' 1" Width: 8' 2" Flow GPM @30 PSI: 9.9 Space Required: 16' x 8'	045: Sneaky Soaker Height: 9' 3" Width: 5' 3" Flow GPM @30 PSI: 20-135 Space Required: 8' dia.	111: Sail Away Height: 13' 0" Width: 6' 0" Flow GPM @30 PSI: 14.6 Space Required: 13' x 8'	016: Sea Spray Height: 13' 0" Width: 9' 10" Flow GPM @30 PSI: 11.6 Space Required: 8' x 17'	009: Water Tower Height: 12' 8" Width: 5' 9" Flow GPM @30 PSI: 16.7 Space Required: 7' 6" x 4'	036: Flag Height: 11' 3" Width: 3' 11" Flow GPM @30 PSI: 6.0 Space Required: 12' x 8'	116: Cloud Burst Height: 11' 8" Width: 5' 0" Flow GPM @30 PSI: 5.8 Space Required: 13' x 8'
---	---	--	--	--	--	---	--	---	---

ALL COMPONENTS COMPLY WITH CSA, ASTM AND UL GUIDELINES FOR SAFETY, AND OFFER WHEELCHAIR ACCESSIBILITY.



anchors away



crayon



fishin pole




water pump



sneaky soaker



sail away



sea spray



water tower



flag



cloud burst



activators + control systems

001: Flower Power
Height: 4' 2"
Width: 1' 6"
Flow GPM @30 PSI: N/A
Space Required: N/A

117: Power Post
Height: 4' 2"
Width: 7"
Flow GPM @30 PSI: N/A
Space Required: N/A

004: Railway Activator
Height: 5' 4"
Width: 2' 7"
Flow GPM @30 PSI: N/A
Space Required: N/A

013: Activator Bollard
Height: 4' 5"
Width: 7"
Flow GPM @30 PSI: N/A
Space Required: N/A

024: Ground Sensor
Height: 0' 0"
Width: 8"
Flow GPM @30 PSI: N/A
Space Required: N/A

124: Hank Jr.
Height: 4' 2"
Width: 11"
Flow GPM @30 PSI: 8.7
Space Required: 8' dia.

002: Mist Stick Activator
Height: 4' 5"
Width: 7"
Flow GPM @30 PSI: 8.7
Space Required: 8' dia.

Control Panel Kiosk:
For parks without buildings close by, a kiosk provides a water and vandal proof solution to house control systems.

Control Panels:
State of the art, industrial grade electronic components, CSA & UL certification, versatile programming, a variety of models to choose from.

PRE-PROGRAMMED SYSTEMS KEEP KIDS GUESSING WHICH TOY WILL SPRAY NEXT. INTERACTIVE SYSTEMS ARE ACTIVATED BY THE TOUCH OF A CHILD'S HAND.



flower power



power post



railway activator



activator bollard



ground sensor



hank jr.



mist stick activator



control panel kiosk



control panels



CUSTOM DESIGN A PARK ENVIRONMENT TO SUIT YOUR NEEDS



The process of building a park is **unique to each designer**. Budgets, spaces and expectations differ and community water supplies create specific challenges. Our products tailor individual environments to this wide range of situational variables.

Our components are designed to interact in a variety of ways and we can even **bring your own specific concepts to life**. Experience in building parks has taught us how to deal with budget constraints, develop play themes and properly tap into the water supply. Waterplay® **provides everything needed to ensure proper park operation**, including complimentary amenities that are essential ingredients for fun filled days. Spray parks come in all shapes and sizes. The following park environments are just a sampling of the endless possibilities. The total budgets presented include potable water systems and installation. Each park is like no other.



\$50,000-\$75,000	FROGGIE PARK
COMPONENTS	1: FROGGIE-O 1: FISHIN POLE 1: CAT TAIL 2: GROUND SPRAYS 1: BOLLARD ACTIVATOR 1: LA 126 CONTROL SYSTEM
WATER CONSUMPTION	AVERAGE 30/MAX 44 GPM AT 30 PSI
SPACE OF PARK	1600 SQUARE FEET

A PARK CUSTOM DESIGNED TO SUIT ANY ENVIRONMENT.



\$75,000-\$100,000	CLASSIC PARK
COMPONENTS	2: POLY PALMS 1: CURVY CANE 1: POLE-KA 1: SPIRAL TUNNEL 3: GROUND SPRAYS 1: BOLLARD ACTIVATOR 1: LA6M CONTROL SYSTEM
WATER CONSUMPTION	AVERAGE 33/MAX 73 GPM AT 30 PSI
SPACE OF PARK	2400 SQUARE FEET

A PARK LIKE NO OTHER.



\$100,000-\$150,000	DINOSAUR PARK
COMPONENTS	2: O-RIGINALS 2: POLY PALMS 1: FLAG 1: AQUA ARCH 1: BRONTO HEAD 1: BRONTO TAIL 1: BOLLARD ACTIVATOR 6: GROUND SPRAYS 1: LA9M CONTROL SYSTEM
WATER CONSUMPTION	AVERAGE 43/MAX 68 GPM AT 30 PSI
SPACE OF PARK	3500 SQUARE FEET

A PARK CUSTOM DESIGNED TO SUIT ANY ENVIRONMENT.



build this park for
\$100,000-\$150,000

\$150,000-\$200,000	CASTLE PARK
COMPONENTS	1: CASTLE 2: POLY PALMS 2: ARCHIES 2: SPILLER PILLERS 2: BOLLARD ACTIVATORS 9: GROUND SPRAYS 1: LA 500-14 CONTROL SYSTEM
WATER CONSUMPTION	AVERAGE 70/MAX 140 GPM AT 30 PSI
SPACE OF PARK	6200 SQUARE FEET

A PARK LIKE NO OTHER.



build this park for
\$150,000-\$200,000

water supply

OUR DESIGN TEAM MAKES EFFICIENT WATER CONSUMPTION A MAIN PRIORITY.



water source

Waterplay® products are designed to use our most important resource efficiently. Low flow nozzles, smart sensors and integrated timers reduce water consumption. Variables such as multiple components, valve synchronization, nozzle selection and duration of valve operation will determine actual consumption rates. To make the entire hydrological planning process easier, a detailed water consumption analysis is provided for each project.

potable supply

The first option for supplying water to the park is a potable water supply. Perfect for small spaces or tight budgets, this approach ensures a high quality source at all times. The method of post-use disposal should include recycling back into the environment or reuse for irrigation.



re-circulating systems

The second, more complicated and more expensive option is a re-circulating system. For larger parks with restricted water policies this mechanical system makes the most efficient use of available resources by treating and recycling water. In this system, water must often meet local quality and safety standards for swimming pools. Consultation with local water, sewer and Health Authorities will dictate the specific requirements for your park.

5 phases of development process

PLANNING 2 - 6 MONTHS



SUPPLIER 1 MONTH



DESIGN 1 - 4 MONTHS



INSTALLATION 2 - 4 MONTHS



MAINTENANCE ONGOING



THE DEVELOPMENT PROCESS

We provide the resources to take you through all five phases of the development process. From initial sketches to a fully operational play area, Waterplay® is here to help.

WHAT'S THE FIRST STEP?

A good project starts with a solid plan. Considering your budget and calculating costs will set your initial parameters for purchasing, surfacing, installation and maintenance. The next step is choosing a water source, evaluating space constraints and determining an operational profile. Our website offers inspiration while our online park builder will bring your ideas to life. Inviting individuals critical for involvement, like engineers, health authorities and landscape architects, will help to form your working group.



www.waterplay.com

WHO WILL DESIGN?

WHO WILL MANUFACTURE?


WHO WILL INSTALL?

Choosing your partners carefully will smooth the process. Selecting companies for design, manufacturing and installation is a critical milestone. Deciding on a supplier at the beginning streamlines the process and saves on project cost. The manufacturer can then maximize efficiency and eliminate oversights by coordinating directly with the designer and installer.

Once all the building blocks are in place, developing the layout can begin. Select a knowledgeable design team that will first take stock of playground safety standards, public health regulations and the uniqueness of a spray park. Next, the fun phase of component selection begins and the park starts to take shape.

Before the nuts and bolts of construction, it is important to identify a project manager from the design or municipality ranks. Creating detailed plans, thorough installation instructions and clearly defined project management responsibilities are also essential pieces of the building puzzle. The contractor can then seamlessly turn your designs into a finished play space.

Ongoing support is an essential element in maintaining a properly functioning spray park. Our toll free phone support and navigable web site provide quick response to questions, technical issues and maintenance requirements.



color choices

COLORS

Waterplay® offers a spectrum of bright primary colors that provide environmental excitement and sensory stimulation. All components feature super durable coatings that are specifically designed to withstand the demands of extreme heat, constant moisture and ultraviolet exposure. The above selection is a reasonable representation of our actual component color options. If your favorite isn't in our palette, we can custom mix a color that satisfies your specific taste.

parts & accessories

WATERPLAY® PRODUCTS LOVE WATERPLAY® PARTS.

REPLACEMENT PARTS

Our design staff works constantly to refine and advance Waterplay® products, parts and accessories. For upgrades, back-ups or replacements, our parts feature signature Waterplay® safety, compatibility and reliability. We maintain a comprehensive listing manufactured to the exact specification of your Waterplay® parts. Ordering is simple with both our online parts catalog and easy toll free hotline. Either way, our helpful staff is ready to meet all your spray part needs.

ACCESSORIES

With custom Waterplay® accessories you can add the right details to make your spray park even better. Coherent and visible signage is an important element of any successful spray park and we offer a full selection. Our pre-built water distribution systems eliminate guesswork and guarantee easy set-up and smooth operation. Or, when a treated water system is required our experts can recommend a state-of-the-art solution. For peace of mind, the Waterplay® parts kit provides a customized selection that anticipates what might be required to properly maintain your park for the next decade.

WE ARE COMMITTED TO OFFERING THE BEST

Built with the best materials and highest manufacturing quality, **our components are tough**. Our personal pride and construction confidence are backed up by a twenty-five year warranty on all aluminum and stainless steel alloys that guarantees them to be free of defect, corrosion and deterioration. All control systems, parts and accessories, including even the smallest structural pieces and fasteners, are warranted for one full year from the date of invoice. Waterplay® **will replace all defective parts at no charge** but will not be responsible for the cost of shipment or costs associated with installation of the replacement parts. Warranties do not include paint coatings or cosmetic issues. Full specifications are outlined in our Warranty.

Our **staff is always prepared** with guidelines for maintenance and rapid response assistance. Our extensive inventory of replacement parts and wealth of spray park knowledge will support every aspect of your operation. With our reliable service and established history, Waterplay® will make sure that you are provided with **a system that runs without interruption**.

With a Waterplay® park, imaginations will be set free to run wild.



Photography: Nic Seaton

Printed in Canada

